

SJH/ DOP/ Documents/ D 22- CRITICAL ALERTS (CBC/PS)		DEPT OF PATHOLOGY- CRITICAL ALERTS (CBC/PS)	
Version No. 3.0	Revision 2.0	Issue date 26/06/2023	Effective Date: 01/07/2023

Department of Pathology
VMMC & Safdarjung Hospital, New Delhi

Critical Alert Values CBC/PS

S. NO.	INVESTIGATION	CRITICAL VALUE
1.	WBC Count & Differential	Acute Promyelocytic Leukemia
2.	PLT	< 5000/mm ³
3.	Red cell morphology	Presence of Sickle Cells
4.	INR	≥ 5
5.	APTT	>100 seconds

MASTER COPY

Effective Date: 25/01/2022	Document type: Controlled	Prepared By: <i>Anjali</i>	Reviewed by: <i>[Signature]</i>	Approved by: <i>[Signature]</i>	Issued by: <i>[Signature]</i>
-------------------------------	------------------------------	-------------------------------	------------------------------------	------------------------------------	----------------------------------

SJH/ DOP/ Documents/ D 23- CRITICAL ALERTS HISTOPATHOLOGY/ CYTOLOGY		DEPT OF PATHOLOGY- CRITICAL ALERTS HISTOPATHOLOGY/ CYTOLOGY	
Version No. 1.1	Revision 1.0	Issue Date: 01/07/2023	Effective Date: 05/07/2023

Department of Pathology

VMMC & Safdarjung Hospital, New Delhi

Critical alert Calls for various tests done in Histopathology-Cytology Unit





The Histopathology-Cytopathology unit of the Department of Pathology receives surgical specimens and biopsies, many of which are potential malignancies to treating clinicians.

The units' policy regarding critical callouts is followed on the following occasions:

1. Detection of unsuspected malignancy in fluids/ cytology samples where clinician suspects a benign etiology
2. Detection of malignancy in a histopathology specimen operated for other non-neoplastic causes
3. Non-detection of tumour in a case operated for malignancy
4. In any other case, as decided by the reporting faculty or unit in-charge

A critical call out register is maintained in the units- one each separately for histopathology and cytology.

MASTER COPY

Document type: Controlled	Prepared By: 	Reviewed by: 	Approved By: 	Issued by: 
---------------------------	--	--	--	--